

The closed configuration of the *Binocular* bench provides an intimate refuge from inclement weather conditions for users, enabling them to sit in different positions, individually, in twos or in small groups

Concrete | Steel |  261 cm/max |  1960 kg |  3

 Update 17.09.2018



BINOCULAR

Wim Poppinga 2017

Escofet®

**Origin**

Originally designed for the town of Haarlemmermeer, they were first installed on the green hills overlooking Hoofddorp and the polders of Schiphol.

**Functional**

*Binocular* is a cosy concrete shelter with rounded lines that seeks an emotional relationship between the user and their surroundings, with the aim of being useful and comfortable.

**Landscape element**

With a clear reference to a pair of binoculars, framing the views and generating the visual effect of a vantage point. The model levitates on its metal supports, which vanish in the distance, making the volumes appear to be floating in space.

**Material**

Moulded concrete reinforced with stainless steel with a gentle etched finish in the Escofet standard chart colours. Metal support with laminated steel profile H-100, zinc-plated and steel forge black coloured.

**Installation**

It is easy to install by anchoring to the paving with eight expansion bolts M-12x110 mm, two in each anchor point.





# 1. Landscape furniture

## Binocular

**Dimensions** 261 x 133 x 50 (213) cm

**Weight** 1960 kg

### 1.1 General features

**Material** Reinforced concrete      **Fixing** Anchored with expansion bolts

**Finish** Etched and waterproofed

**Supports** Laminated steel profile H-100      **Finish** Zinc-plated and forge black colored


### Colours



**GR.** Grey




**NG.** Black



**BL.** White




**CA.** CA Grey



**RA.** Red



**BG.** Beige




**A.** Forge black colored


### 1.2 Installation system

**Hoisting**  
(W=1960 Kg)

**Installation**  
Anchored with 8 M-12x110 mm expansion bolts. Lifting by polyester slings attached to the threaded studs in the M-16 bushes located at the top.





Plant location



1.3 Geometry

Binocular





## Warranty

5 years in concrete elements.

The names, trade marks and industrial models of the products have been deposited in the corresponding registries. The technical information provided by Escofet about its products may be modified without prior notice.

Escofet 1886 S.A  
Central office and production

Montserrat, 162  
E 08760 Martorell  
Barcelona - España  
T. 0034 937 737 150  
F. 0034 937 737 151

info@escofet.com  
www.escofet.com

Follow us



GA-2005/0072 SST-0090/2010 ER-0403/2016