

The *Boulevard* litter bin is an eminently urban element with a simplified production process, formalised as a cylinder supported by a thin tube with a rectangular cross section. It embraces the body with two generatrices, in a “U” shape, which, in turn, serves as a support structure to anchor it to the paving.

Steel | Ø41 cm | 22 kg | 60 L

🔄 Update 02.10.2018



Origin

Boulevard was created as the result of a formal simplification and optimisation of production costs in designing the Gruss litter bin, a previous and much appreciated design by the same author.

Material

Slotted support/body in bi-chromate steel with a thickness of 2 mm, polyester paint powder coated textured silver or a black, forged effect.

Installation

The model is designed to be anchored to the paving with three metal Fisher SXR 10X80 FUS expansion plugs. A2 stainless steel screws.

BOULEVARD



Escofet®



1. Litter bins

Boulevard	Lisa	Ranurada
Dimensions	Ø41 x 76 cm	Ø41 x 76 cm
Weight	22 kg	21,5 kg
Capacity	60 L	60 L

1.1 General features

Body	Zinc plated steel	Fixing	Anchored with expansion bolts.
Finish	Finished polyester powder paint. Black forged effect or silver colour.		

Colours



A. Black forged effect



B. Silver powder coated


1.2 Installation system

Hoisting



(W= 22 / 21,5 kg)

Installation




Tightly screw the 3 stud bolts Fisher SXR 10x80 FUS. Drill pavement (Ø 12 mm) and fill with resin. Center and caulk the bench foot all around.



Boulevard Lisa



Boulevard Ranurada





The names, trademarks and industrial models of the products have been logged in the corresponding registers. The technical information provided by Escofet about its products can be modified without prior notice.

Escofet 1886 S.A
Head office and production

Montserrat, 162
E 08760 Martorell
Barcelona - España
T. 0034 937 737 150
F. 0034 937 737 151

info@escofet.com
www.escofet.com

Follow us



GA-2005/0072 SST-0090/2010 ER-0403/2016