

Satellite embodies a border concept between a landscaping element and an urban furnishing, which makes the most of the capacities of UHPC concrete to create a seat platform that is used as an individual or shared lounger. Its formal design, in a contemporary style and with rounded lines, generates a skin wrap that is transformed into a sophisticated, ergonomic back.

UHPC |  180 cm/max. |  910 kg |  3

 Update 10.06.2020



Origin

Satellite is a pioneering concept in its field, and was created within the context of Escofet's invitation to creators to tender their works to celebrate the company's 125th anniversary.

Emotional

With a hybrid and intelligent character, *Satellite* is an element that creates meaningful places, exemplifying the importance of creating an emotional bond between product and user, and fostering the process of interaction among its users.

Functional

The design proposes a new way to use and occupy urban space, replacing the rigid linear, traditional arrangements with more flexible alternatives that facilitate spontaneous, gregarious relations in varied contexts, such as parks, seafronts and viewpoints.

Material

Single block of UHPC-Slimconcrete reinforced with stainless steel. Etched finish and colour in accordance with the standard *Escofet* colour chart. Screen finish, a protective layer applied to the seat and back that gives it protection against dirt.

Installation

Free-standing, with a low centre of gravity, with no need for anchors. However, it has four bushes recessed in the base for optional anchoring by threaded screws. The passage for slings created at the base makes it easy to handle in loading, unloading and installation operations.



SATELLITE



1. Landscape furniture

Satellite

Dimensions ø180 x 40 (76) cm

Weight 910 Kg

1.1 General features

Material	UHPC concrete	Fixing	Free-standing / anchored with screws
-----------------	---------------	---------------	--------------------------------------

Finish Etched and waterproofed / Screen finish interior surfaces

Colours




UHPC GR. Grey



UHPC NG. Black



UHPC BL. White





UHPC BG. Beige


1.2 Installation system

Hoisting
(P=910 kg)


Installation
Drill pavement Ø40 x 180 mm and fill with resin or fat mortar. Tightly screw the 4 stud bolts Din 931 M16 x 140 mm. Center and caulk the bench foot all around.




Satellite




FRONT



SIDE



TOP



SECTION A-A



Warranty

5 years in all its components.

The names, trademarks and industrial models of the products have been logged in the corresponding registers. The technical information provided by Escofet about its products can be modified without prior notice.

Escofet 1886 S.A
Oficina central y producción

Montserrat, 162
E 08760 Martorell
Barcelona - España
T. 0034 937 737 150
F. 0034 937 737 151

info@escofet.com
www.escofet.com



GA-2005/0072 SST-0090/2010 ER-0403/2016