

Nigra is a chair distinguishable because of the abstract shape of the Z-shaped concrete profile and variable cross-section. Created by architects who design public space. The *Nigra* chair can be installed as an isolated element, be arranged in groups or form linear compositions.

Concrete |  50 cm |  170 kg |  1

 Update 18.02.2020



NIGRA

Montse Periel + Màrius Quintana 1994

Escofet[®]

Origin

The characteristic black polished finish gives rise to the name of this individual chair which appears in the first projects of the 1990s in Barcelona.

Design

With no pretension of formal eloquence, the *Nigra* chair adopts the condition of the archetype of a natural appearance, with a minor contribution to design. Its ergonomic measurements and the slight inclination of the seat and back make it extremely comfortable, eliminating the sensation of hardness transmitted by the material.

Material

The chair is made from reinforced concrete with a ground finish. Usually supplied in black, but admits other *Escofet* standard chart colours.

Installation

The chair require M16x140 metal anchors and are installed by anchoring to a foundation or to a concrete slab.



1. Chair

Nigra

Dimensions 50 x 77 x 45 cm

Weight 170 kg

1.1 General features


Material Reinforced concrete **Fixing** Anchored with screws

Finish Polished and waterproofed


Colours




GR P. Polished Grey




NG P. Polished Black




BL P. Polished White




CA P. Polished Gris CA



RA P. Polished Red



BG P. Polished Beige



GB P. Polished Grey-White


1.2 Installation system

Hoisting

(P=170 kg)


Installation

Tightly screw the 2 stud bolts M-16x140. Drill pavement (Ø 40x180) and fill with resin or fat mortar. For non-cosstent soil, concrete foundation is recomended. The chair is put into position with the help of slings in the drilled holes.



1.3 Geometry

Nigra Chair







Warranty

5 years in concrete elements.

The names, trademarks and industrial models of the products have been logged in the corresponding registers. The technical information provided by Escofet about its products can be modified without prior notice.

Escofet 1886 S.A
Head office and production

Montserrat, 162
E 08760 Martorell
Barcelona - España
T. 0034 937 737 150
F. 0034 937 737 151

info@escofet.com
www.escofet.com



GA-2005/0072 SST-0090/2010 ER-0403/2016