


***Vilnius*** is a contemporary reinterpretation of the traditional urban bench in which ergonomic criteria and sustainability in design take pride of place. The result is a bench with comfortable ergonomics. When it is lengthened, it is folded to create a seat for collective use that goes by the name *Vilnius Duplo*.

UHPC | 📏 200 cm | ⚖️ 180 kg | 🪑 4

🔄 Update 10.09.2020



#### Origin

It was first installed in the city of Barcelona, within the context of the public area project surrounding the Barcelona Trade Fair complex, based on a project by Toyo Ito and Óscar Tusquets during this latter phase.

#### Combinable

Available in two sizes, the *Vilnius* bench is 200 cm and can be presented with or without armrests, while the bench *Vilnius Duplo* is 290 cm, slightly curved and only without armrests, both can be combined to form compositions in the landscape.

#### Material

The bench is made from UHPC-Slimconcrete which also contributes high resistance and sustainability criteria based on its light weight. The cast aluminium supports are coated with textured silver paint.

#### Installation

In the public area it is anchored with screws recessed in the paving and fastened with resin.



WILNIUS



Escofet®

# 1. Bench

Vilnius	Vilnius 200	Vilnius Duplo	
<b>Dimensions</b>	200 x 61 x 45 (80)cm	289 x 140 x 45 (80)cm	
<b>Weight</b>	180 kg	283 kg	
<b>1.1 General features</b>			
<b>Material</b>	Concrete UHPC	<b>Fixing</b>	Anchored with screws
<b>Finish</b>	Etched and waterproofed / Soft polished		
<b>Supports and armrests</b>	Cast aluminium		
<b>Finish</b>	Textured Silver coated finish. Category of atmospheric corrosivity C5 according to UNE EN ISO 12944-2.		

## Colours




**UHPC GR.** Grey




**UHPC NG.** Black



**UHPC BL.** White



**UHPC BG.** Beige



**A.** Textured Silver aluminium



## 1.2 Installation system

### Hoisting

(W=180Kg / 283Kg)


### Installation

Drill pavement Ø12 and fill with resin or fat mortar.  
Screw the 4 or 6 stud bolts DIN 913 M10x100 mm.  
Center and caulk the bench foot all around.




## 1.3 Geometry


### Vilnius 200



### Vilnius Duplo



### Aggregation Example






VILNIUS



Escofet®





## Warranty

5 years in concrete elements.

The names, trademarks and industrial models of the products have been logged in the corresponding registers. The technical information provided by Escofet about its products can be modified without prior notice.

Escofet 1886 S.A  
Head office and production

Montserrat, 162  
E 08760 Martorell  
Barcelona - España  
T. 0034 937 737 150  
F. 0034 937 737 151

info@escofet.com  
www.escofet.com



GA-2005/0072 SST-0090/2010 ER-0403/2016