

Otto is a modular site furnishing element which can be used as a tree guard, a large flower box or as a sandbox for children. Its unique geometry generates a dialogue between inside and outside and between container and content. *Otto* thus invites us to enter and lie or sit on its perimeter.

Concrete | Modular | 4 uds. | Ø 500 cm | 2500 kg/ud. | 12

Update 04.08.2020



Origin

Designed and installed as sandboxes for children in the landscaping of the park over the roof structure and integration of the railway station in the city of Logroño.

Modular

Otto is made up of four sectors that form an octagon inside a circumference with a diameter of 5 metres. *Otto*'s octagonal shape permits the connection and unlimited repetition of the modules. The connection between *Ottos* is made by joining their common sides, with four options: A-A, B-B, C-C or D-D.

Versatility

Otto combines a versatile use as both a flower box and a large tree guard that delimits public areas and can also be used as a sandbox for children.

Material

Otto is made from reinforced concrete with an etched water-repellent finish and is supplied in the standard chart colour.

Installation

It is self-standing and can be placed on the paving or sand, and requires no anchoring elements. The union of the modules in one ring does not require the creation of a joint between them.





1. Planters

Otto

Dimensions Ø500 x 37 cm

Weight 1-2 2500 kg/ud. 3-4 1152 kg/ud.

1.1 General features

Material Reinforced concrete Fixing Free-standing

Finish Etched and waterproofed


Colours




GR. Grey




BL. White



CA. CA Grey





RA. Red




BG. Beige

1.2 Installation system


Hoisting
(P=2500 kg / 1152 kg)



Otto



Aggregations





Warranty

5 years in concrete elements.

The names, trademarks and industrial models of the products have been logged in the corresponding registers. The technical information provided by Escofet about its products can be modified without prior notice.

Escofet 1886 S.A
Head office and production

Montserrat, 162
E 08760 Martorell
Barcelona - España
T. 0034 937 737 150
F. 0034 937 737 151

info@escofet.com
www.escofet.com



GA-2005/0072 SST-0090/2010 ER-0403/2016