


Cenicero Sócrates is a prism with a compact volume, with a circular bucket inserted, simply standing on the ground by a sunken baseboard that overcomes geometric accuracy while allowing it to levitate. Available in 46 and 70 cm. heights.

Concrete | Stainless steel |  60 cm |  290 kg

 Update 25.02.2022



CENICERO SÓCRATES

Escofet Lab 1990

Escofet®

Origin

It is born as an utilitarian element extension of the original Socrates backless bench.

Universal

Rigorous and simple in its formulation, *Sócrates* belongs to the new generation of neutral, abstract elements for universal use.


Material

The *Sócrates* ashtray is made of concrete according to the standard finish colour *Escofet* chart, polished glossy and waterproof finish or etched and waterproofed. The bucket simply fitted into the concrete volume is AISI 316-L stainless steel.

Installation

Anchored on the pavement with two anchoring points M16 x 140 mm fixed with resin in drills of 40 mm diameter.

CENICERO SÓCRATES



Escofet®




1. Ashtrays and litter bins

Cenicero Sócrates	46	70
Dimensions	60 x 60 x 46 cm	60 x 60 x 70 cm
Weight	290 kg	495 kg


1.1 General features

Material	Concrete	Fixing	Anchored with screws
Finish	Etched and waterproofed / Polished and waterproofed		
Ashtray	AISI 316-L stainless steel		


Colours




GR. Grey
GR P. Polished Grey




NG. Black
NG P. Polished Black




BL. White
BL P. Polished White




CA. CA Grey
CA P. Polished CA Grey




RA. Red
RA P. Polished Red



BG. Beige
BG P. Polished Beige



GB P. Polished Grey-White



A. Stainless steel



1.2 Installation system

Hoisting


(W= 290 / 495 kg)

Installation


Tightly screw 2 stud bolts M16 x 140 mm.
Drill pavement, fill with resin or fat mortar.




Cenicero Sócrates 46



Cenicero Sócrates 70



Ashtray pice





Warranty


5 years in concrete elements.

The names, trademarks and industrial models of the products have been logged in the corresponding registers. The technical information provided by Escofet about its products can be modified without prior notice.

Escofet 1886 S.A
Head office and production

Montserrat, 162
E 08760 Martorell
Barcelona - España
T. 0034 937 737 150
F. 0034 937 737 151

info@escofet.com
www.escofet.com



GA-2005/0072 SST-0090/2010 ER-0403/2016