

The *Lineal* planter is made from a single piece of cast iron, with its own ornamental value. With a volume of 230 litres, it is suitable to planting small shrubs as an isolated element in a domestic environment, but its preferred use is in an urban environment, aligned as a plant boundary between the street and the pavement, thereby eliminating the need for blocks or bollards.

Cast iron | 📏 153 cm | ⚖️ 243 kg | 🪴 230 L

🔄 Update 30.03.2022



LINEAL

Enric Sòria 1999

escofet®

Origin

Designed to form urban boundaries in a linear aggregation on traffic barriers.

Design

Its most important feature is the vertical grooves areas that are folded at the ends to give it a more lightweight appearance. There is a free space at the point where the aligned module planters join each other, for housing fitting and connections for installing drip irrigation systems.

Material

The planter is made from a single piece of cast iron with a rust-proof and Forge Black coated finish.

Installation

The *Lineal* planter is self-stabilising on four support points, and installed without the need for anchors. In the event of installing a drip irrigation system, the modules are supplied with a hole in the planter for the installation ducts to pass through. Drainage takes place through three holes in the base with a diameter of 20 mm.

LINEAL



Escofet®



1. Planters

Lineal	
--------	--

Dimensions	153 x 45 x 49 cm
------------	------------------

Weight	243 kg
--------	--------


Capacity	230 L
----------	-------

1.1 General features

Material	Cast iron	Fixing	Free-standing
----------	-----------	--------	---------------

Finish	Forge Black coated finish . Category of atmospheric corrosivity C5 according to UNE EN ISO12944-2.
--------	----------------------------------------------------------------------------------------------------


Colours









A. Forge Black

1.2 Installation system

Hoisting
(P=243 kg)



Lineal





The names, trademarks and industrial models of the products have been logged in the corresponding registers. The technical information provided by Escofet about its products can be modified without prior notice.

Escofet 1886 S.A
Head office and production

Montserrat, 162
E 08760 Martorell
Barcelona - España
T. 0034 937 737 150
F. 0034 937 737 151

info@escofet.com
www.escofet.com

Follow us



GA-2005/0072 SST-0090/2010 ER-0403/2016