

The KANJI bench range provides a seat as a complement to all those elements of public areas that have not been initially designed for such a function, such as walls or steps. It also serves as an accessory for the Escofet concrete benches collection. With a silver-painted structure and FSC® tropical wood slats, the family is made up of a 60 cm chair and a 180 cm bench with or without a backrest. As well as a perch seat for waiting areas.

FSC® Certified Wood |  180 cm/max |  33 kg |  4

 Update 21.09.2026



ORIGIN

A kanji is a Chinese character that is used in Japanese writing, where each has its own meaning but may be interpreted in different ways, depending on its context and combination. The KANJI seat accessories collection for use in public areas was designed in accordance with this desire for adaptability and versatility.

VERSATILE

KANJI is intended for universal use, providing an ergonomic seat with multiple options in terms of the finish. It is designed for installation on walls built on site, and as a complement to most backless bench models from the Escofet catalogue, such as Sócrates, Longo, Box, Garonne and Godot, among others.

MATERIALS

The support structure is made from machined steel plate with a thickness of 6 mm, zinc-plated and with a painted silver finish. The seats are made from FSC® certified tropical wood, supplied with or without a back and in two lengths: 60 cm and 180 cm.

INSTALLATION

Concealed permanent anchoring to a wall or a bench with stainless steel screws and metal expansion plugs.





1. Accessory for backless benches

Kanji	Bench	Chair	Backless bench	Seat	Ischial support
Dimensions	177 x 60 x 4 (45) cm	62 x 60 x 4 (45) cm	177 x 53 x 4 cm	62 x 53 x 4 cm	62 x 23 x 80 cm
Weight	33 kg	17 kg	20 kg	9 kg	33 kg

1.1 General features

Seat	Tropical wood FSC®	Fixing	Anchored with expansion bolts
Finish	Oil treated		
Supports	Zinc plated steel		
Finish	Textured Silver coated finish. Category of atmospheric corrosivity C5 according to UNE EN ISO 12944-2.		


Colours



La marca de la
gestión forestal
responsable



A. Tropical wood FSC®



B. Textured Silver steel



1.2 Installation system

Installation


Center and place the accessory on the bench or wall and mark holes. Drill Ø 8mm the bench or wall. Refit the accessory and screw the 6 or 4 stainless steel 8 x 45 mm expansion bolts. Includes washers to separate the wood from the support.

Installation


Secure the components using screws. Center and place the accessory on the floor and mark the slo-tted holes. tightly screw 4 stud bolts DIN 913 M6 x 100. drill pavement Ø12 mm and fill with resin.




Bench





Chair




Backless bench



Seat




Ischial support




Aggregations


SOCRATES + KANJI




LONGO + KANJI




GARONNE + KANJI




GODOT + KANJI ACC.




BANCALOSA + KANJI ACC.




BOX + KANJI



PORTIC + KANJI



GENEVE + KANJI






The names, trademarks and industrial models of the products have been logged in the corresponding registers. The technical information provided by Escofet about its products can be modified without prior notice.

Escofet 1886 S.A
Oficina central y producción

Montserrat, 162
E 08760 Martorell
Barcelona - España
T. 0034 937 737 150
F. 0034 937 737 151

info@escofet.com
www.escofet.com

Escofet
by Molins[®]



GA-2005/0072



SST-0090/2010

