
Límite CILÍNDRICO is a modular element with length of 100 cm, designed for use in delimiting flowerbeds and garden areas, and for separating pedestrian areas from areas with traffic and delimiting car park spaces. The separation between the cylinders favours water drainage and permits subtle changes in alignment or level.

Concrete | Modular | ☑ 100 cm | 🛆 120 kg

C Update 28.07.2025





Origin

Cylindrical sections that appear to float, concealing the generatrix of union with the base.

Design

In geometrical terms, it comprises a trapezoidal base that is recessed flush with the paving, from which emerges a cylindrical body with a diameter of 18 cm and a length that is shorter than the base. This difference not only favours drainage, it generates an open joint of 4 cm between cylinders, which permit the absorption of small changes in alignment or slope, without causing geometric conflicts.

Material

Moulded concrete reinforced with stainless steel. With a granite grey, rough, etched, water-repellent finish.

Installation

Recessed in the paving 12 cm below ground level.



CILÍNDRICO









1. Mobility

Límite Cilíndrico	100
Dimensions	100 (96) x 26 x 32 (20) cm
Weight	120 kg
1.1 General features	

Material	Recyled Concrete	Fixing	Embedded
Finish	Etched and waterproofed		


Colours



EGR. Eco-Grey®


1.2 Installation system

Hoisting (W=120 kg)






Cilíndrico 100



Agregaciones







Warranty

5 years in all its components.

The names, trademarks and industrial models of the products have been logged in the corresponding registers. The technical information provided by Escofet about its products can be modified without prior notice.

Escofet 1886 S.A Head office and production

Montserrat, 162 E 08760 Martorell Barcelona - España T. 0034 937 737 150 F. 0034 937 737 151

info@escofet.com www.escofet.com





GA-2005/0072





