

Como is a robust, fortified fence for recessing below the paving, delimiting areas in the form of a stockade. The spacing between the modules is the same as the separation between the vertical balustrades, thus ensuring the visual continuity of the unit and accentuating its barrier function with the transparency generated by a trellis structure.

Concrete |  95 cm |  800 kg

 Update 19.05.2020



Origin

It was originally designed to enclose a school courtyard in Barcelona.

Versatile

The modules, anchored to a continuous concrete foundation strip, adapt well to any course, whether straight, circular or in the presence of differences in level of the existing topographic relief.

Emotional

The result is a stockade in which the play of light and shadow bring dynamism to an enclosure with greater opacity than a metal fence.

Material

Single block of concrete reinforced with stainless steel. Mould finish with no subsequent surface treatment. Available in the standard *Escofet* chart colours.

Installation

Installed by recessing the 50 cm modules in a continuous “in situ” concrete foundation strip of 60 x 60 cm and leaving a space of 12 cm between modules.





1. Fence

Valla Como

Dimensions 95 x 15 x 225 (275) cm


Weight 800 kg

1.1 General features


Material Reinforced concrete Fixing Embedded

Finish Out of mold and waterproofed

Colours




GR. Grey



NG. Black



BL. White




BG. Beige


1.2 Installation system

Hoisting
(W= 800 kg)


Installation
Excavate the land, place the piece and perform concreting and delivering the pavement.



Valla Como



Aggregations





Warranty

5 years in all its components.

The names, trademarks and industrial models of the products have been logged in the corresponding registers. The technical information provided by Escofet about its products can be modified without prior notice.

Escofet 1886 S.A
Head office and production

Montserrat, 162
E 08760 Martorell
Barcelona - España
T. 0034 937 737 150
F. 0034 937 737 151

info@escofet.com
www.escofet.com



GA-2005/0072 SST-0090/2010 ER-0403/2016