

The Comú modular bench, made from dry mix concrete, is the response to the need to design a meeting point. Its basic, circular, enclosure-like configuration with an external diameter of 4 metres is an invitation for people to sit on the inside or outside of the bench and enjoy each other's company for an extended period of time. The LED lighting below the seat also allows it to be used at night.

Concrete | Modular |  195 cm/max |  830 kg |  3

Add-ons:  |  | LED

 Update 01.09.2025



ORIGIN

Comú was originally designed in an arrangement of circles made up of three concave modules and was first installed in Rambla Sant Francesc, a large versatile public area in the centre of the Catalan city of Vilafranca del Pedregós, for the purpose of covering and completing the construction of an underground car park. This project including the felling of the trees that gave it its identity.

MODULAR

Its modular nature and combination of straight, concave and convex modules permit an infinite number of designs that can be adapted to a large variety of spaces.

MATERIAL

Dry mix concrete with an etched finish. Supplied in all the Escofet standard chart colours. All the modules have a cable duct for housing the LED lighting strip and a compartment for the driver. Back made from perforated zinc plated steel textured silver coated finish for the straight and concave modules. Armrest accessory made of the same material and finish.

INSTALLATION

The Comú series modules, in their three versions (concave, convex and straight) are anchored to the paving with two M16 x 140 mm metal threaded rods.

COMÚ



COMÚ










Escofet
by Molins^o

1. Modular bench

Comú Recto	Derecho	Central	Izquierdo	Individual
Dimensions	195 x 48 x 50 cm	195 x 48 x 50 cm	195 x 48 x 50 cm	195 x 48 x 50 cm
Weight	830 kg	815 kg	830 kg	865 kg
Comú Cóncavo				
Dimensions	195 x 67 x 50 cm	195 x 67 x 50 cm	195 x 67 x 50 cm	195 x 67 x 50 cm
Weight	830 kg	815 kg	830 kg	865 kg
Comú Convexo				
Dimensions	195 x 67 x 50 cm	195 x 67 x 50 cm	195 x 67 x 50 cm	195 x 67 x 50 cm
Weight	830 kg	815 kg	830 kg	865 kg
Lighting	Tira LED 8-15 W/m; 4000/3000° K			
Driver	24 V / 1,5A / IP67			








1.1 General features			
Material	Concrete	Fixing	Anchored with screws
Finish	Etched and waterproofed		
Respaldo y apoyabrazos	Zinc plated steel		
Finish	Textured Silver coated finish. Category of atmospheric corrosivity C5 according to UNE EN ISO 12944-2.		

Colours			
	GR. Grey	NG. Black	BL. White
			
	CA. Grey CA	RA. Red	BG. Beige
			
	A. Textured Silver steel		

1.2 Installation system

Hoisting
(W= 815 / 830 / 865 kg)


Installation
Tightly screw the 2 stud bolts M-16x140, drill pavement (Ø 40x180 mm) and fill with resin or fat mortar. Center and caulk the bench foot all around.




1.3. Lighting

LED	
Operating voltatge	24V
Power	8-15W/m
Color temperature	4000/3000K
Degree of protection	IP67


Driver Vossloh or similar	
Power	30W
Voltage	220-240V
Frequency	50-60Hz
Power factor	>0,9
Degree of protection	IP67




Comú Recto Central





Comú Recto Derecho






Comú Recto Individual



Comú Recto Izquierdo




COMÚ




Escofet
by Molins^o

1.5. Geometry Cóncavo-Convexo


Comú Cóncavo Central




Comú Cóncavo Derecho




Comú Cóncavo Individual




Comú Cóncavo Izquierdo




Comú Convexo Central




Comú Convexo Derecho




Comú Convexo Individual




Comú Convexo Izquierdo







1 COMÚ CÓNCAVO CENTRAL +
1 COMÚ CÓNCAVO DERECHO +
1 COMÚ CÓNCAVO IZQUIERDO







2 COMÚ CÓNCAVO CENTRAL +
1 COMÚ CÓNCAVO DERECHO +
1 COMÚ CÓNCAVO IZQUIERDO



3 COMÚ CÓNCAVO CENTRAL +
1 COMÚ CÓNCAVO DERECHO +
1 COMÚ CÓNCAVO IZQUIERDO



6 COMÚ CONVEXO





Warranty

5 years in concrete elements.

The names, trademarks and industrial models of the products have been logged in the corresponding registers. The technical information provided by Escofet about its products can be modified without prior notice.

Escofet 1886 S.A
Head office and production

Montserrat, 162
E 08760 Martorell
Barcelona - España
T. 0034 937 737 150
F. 0034 937 737 151

info@escofet.com
www.escofet.com



GA-2005/0072 SST-0090/2010 ER-0403/2016