

Backless benches and planters act as effective mobile barriers to delimit areas, or as safety elements against traffic, apart from their intrinsic functionality and aesthetic appearance. The anti-intrusion design of MOVE comprises a backless bench with a length of 250 cm and a planter of 200 cm, whose main feature is the central cavity above ground, which makes the element easy to move with a forklift truck.

Concrete | 📏 250 cm | ⚖️ 1075 kg

🔄 Update 30.07.2025



ORIGIN

Based on its etymology, MOVE was conceived as a primarily mobile collection, suitable for creating lasting and ephemeral boundaries in public areas. Due to their weight, they are self-stabilising and can only be moved with a forklift truck.

DESIGN

The rounded and manifestly brutalist appearance is in keeping with the objective of ensuring public safety, which is a growing demand in cities. In agreement and fully compatible with this premise, MOVE is portrayed as having an appearance that blends in well with public areas and brings well-being to citizens, without being intrusive.

VERSATILITY

The collection makes it possible to combine areas with seats and planters with capacities of 300 litres, thus promoting the use of green elements and achieving an attractive, comfortable public area. Their geometry, weight and shock resistance convert both models into dissuasive elements, to reduce risk and minimise the impact of attacks by vehicles.

MATERIAL

Made from etched, water-repellent cast concrete in the Escofet standard chart colour. Optionally, also available in Eco-Grey® recycled concrete.








INSTALLATION

Self-stabilising and made from a single block, it is installed by simply resting it on the ground.





1. Protection element



Move		Backless bench	
Dimensions		250 x 50 x 45 cm	
Weight		1075 kg	
1.1 General features			
Material	Concrete Recycled concrete	Fixing	Free-standing
Finish	Etched and waterproofed		
Colours			
			
	GR. Grey	NG. Black	BL. White
			
	CA. CA Grey	RA. Red	BG. Beige
			
	EGR. Eco-Grey®		

1.2 Installation system


Hoisting

W= 1075 kg


2 recessed bushings for optional anchoring (M16)



Move backless bench



Aggregation







2. Planter

Move	Planter
Dimensions	200 x 60 x 63 cm
Weight	875 kg
Capacity	300 kg



2.1 General features

Material	Concrete Recycled concrete	Fixing	Free-standing
Finish	Etched and waterproofed		

Colours			
	GR. Grey	BL. White	CA. CA Grey
			
	RA. Red	BG. Beige	EGR. Eco-Grey®


2.2 Installation system

Hoisting
W= 875 kg / weight with soil W= 1385 kg
2 recessed bushings for optional anchoring (M16)




MOVE

Move Planter



Aggregation





Warranty

5 years in concrete elements.


The names, trademarks and industrial models of the products have been logged in the corresponding registers. The technical information provided by Escofet about its products can be modified without prior notice.

Escofet 1886 S.A
Head office and production

Montserrat, 162
E 08760 Martorell
Barcelona - España
T. 0034 937 737 150
F. 0034 937 737 151

info@escofet.com
www.escofet.com

Escofet
by **Molins**®



GA-2005/0072



SST-0090/2010



ER-0403/2016

