

The MODULAR bench is the outcome of the industrialisation of the bench around the perimeter that defines the boundary of the raised square on top of the hypostyle construction in Park Güell, Barcelona and makes the most of all the modular combinatorial and latent spatial options of the original design, adapting its ergonomics to current demands.

Concrete | Modular |  260 cm/max |  960 kg |  5

 Update 25.08.2025



ORIGIN

It is inspired by the shapes of the perimeter bench designed by Antoni Gaudí and Josep Maria Jujol to crown the hypostyle construction in Park Güell, Barcelona.

DESIGN

The bench has three versions: the linear version, with two straight modular lengths, and the concave and convex modular versions, which offer the possibility of creating extremely pliable sine wave alignments. The combination of benches with different concave and convex radii and straight benches allows us to draw any figure on the landscape.

VERSATILITY

The MODULAR bench functions as an undulated or straight delimiting bench and the combination of both can be used to form isolated aggregations or as a retaining wall in green areas, creating a boundary between the space of passage and the green space or encircling trees. It also has straight and undulated benches in double versions.

ERGONOMIC

The combined back and seat profile adapts perfectly to the ergonomics of its users.

MATERIAL

Non-reinforced dry-mix concrete with a etched finish, in the Escofet catalogue standard chart colours.

Installation

It simply rests on the paving or on compacted sand. In the case of aggregating the MODULAR benches in garden areas, it is advisable to seal the vertical joints between modules. Drainage or elimination of rainwater is done through the channel in the seat which in turn drains the water out through the joints between the benches.






MODULAR



1. Bench

Modular Straight		
Dimensions*	175 175 x 64 x 40 (71) cm	260 260 x 64 x 40 (71) cm
Weight	175 960 kg	260 1430 kg
Modular 90°		
	Right	Left
Dimensions	84 x 64 x 40 (71) cm	84 x 64 x 40 (71) cm
Weight	305 kg	305 kg
Modular Curved		
	Concave	Convex
Dimensions	R190 195 x 79 x 40 (71) cm	R190 195 x 79 x 40 (71) cm
Weight	R190 960 kg	R190 960 kg
Modular Double		
	Recto	
Dimensions	260 260 x 128 x 40 (71) cm	
Weight	260 2860 kg	

1.1 General features


Material	Concrete		Fixing	Free-standing	
Finish	Etched and waterproofed				
Colours					
					
	GR. Grey	NG. Black	BL. White		
					
	CA. Grey CA	RA. Red	BG. Beige		

*Other lengths to consult

1.2 Installation system

Hoisting


W=305 kg / 960 kg / 1430 kg / 2860 kg







MODULAR

Modular Straight





260



175




ANGLE 90°




Aggregations

MODULAR STRAIGHT




DOUBLE with ANGLE 90




LEFT ANGLE 90

RIGHT ANGLE 90




Modular Concave-Convex


CONCAVE R190 / R3000 / R865



FRONT




SECTION




TOP


CONVEX R190 / R3000



FRONT




SECTION




TOP

Aggregations




Modular Double Straight


STRAIGHT DOUBLE 260




FRONT



SIDE



TOP





Warranty

5 years in all its components.

The names, trademarks and industrial models of the products have been logged in the corresponding registers. The technical information provided by Escofet about its products can be modified without prior notice.

Escofet 1886 S.A
Head office and production

Montserrat, 162
E 08760 Martorell
Barcelona - España
T. 0034 937 737 150
F. 0034 937 737 151

info@escofet.com
www.escofet.com

Escofet
by **Molins**



GA-2005/0072



SST-0090/2010



ER-0403/2016

